# SAFETY DATA SHEET

Date of issue : 6 January 2023 Version : 3.02



### **Section 1. Identification**

Product code	: 700500/1L
Product name	: FLOOD FLOETROL ACRYLIC CONDITIONER
Product type	: Liquid.
Recommended use and res	trictions
Use of the substance/ mixture	: Coating.
Uses advised against	: Not applicable.
Supplier's details	: PPG INDUSTRIES NEW ZEALAND LTD 5 MONAHAN ROAD, MT WELLINGTON, AUCKLAND www.ppgnz.co.nz Telephone Numbers: 09 573 1620, 0800 659378 021 940 920 (24 Hours)
Emergency telephone number (with hours of operation)	: New Zealand 0800 000 096 (24 hours) / Australia 1800 883 254 (24 hours) For international shipping emergencies: 1-412-391-1618
e-mail address of person responsible for this SDS	: ehsnz@ppg.com

#### Section 2. Hazards identification : LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 **HSNO Classification GHS label elements** Signal word : No signal word. **Hazard statements** : Harmful to aquatic life with long lasting effects. **Precautionary statements Prevention** : Avoid release to the environment. : Not applicable. Response **Storage** : Not applicable. : Dispose of contents and container in accordance with all local, regional, national Disposal and international regulations. **Other hazards which do not** : Contains isothiazolinones. May cause allergic reaction. result in classification

This material is classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and has been classified according to the Hazardous Substances (Classifications) Notice 2017.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Land Transport Rule: Dangerous Goods 2005.

Product code 700500/1L

#### Product name FLOOD FLOETROL ACRYLIC CONDITIONER

### Section 3. Composition/information on ingredients

Substance/mixture : Mixture **CAS number/other identifiers** 

Product code

Product code : 700500/1L		
Hazardous ingredients	%	CAS number
Poly(oxy-1,2-ethanediyl), α-[(1,1,3,3-tetramethylbutyl)phenyl]-ω-hydroxy-	<1	9036-19-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment or have an OEL and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### **Description of necessary first aid measures**

Eye contact	Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.	
Inhalation	Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.	
Skin contact	Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.	t
Ingestion	If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.	
Most important symptoms/	cts, acute and delayed	
Potential acute health effe		
Eye contact	No known significant effects or critical hazards.	
Inhalation	No known significant effects or critical hazards.	
Skin contact	No known significant effects or critical hazards.	
Ingestion	No known significant effects or critical hazards.	
Over-exposure signs/sym	<u>ns</u>	
Eyes	No specific data.	
Inhalation	No specific data.	
Skin	No specific data.	
Ingestion	No specific data.	
Indication of immediate me	al attention and special treatment needed, if necessary	
Specific treatments	Not available.	
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>	;
Protection of first-aiders	$\overline{\mathbf{N}}$ o action shall be taken involving any personal risk or without suitable training.	
See toxicological information	Section 11)	

## Section 5. Firefighting measures

Extinguishing media		
Suitable	se an extinguishing agent suitable for the surrounding fire.	
Not suitable	one known.	
Specific hazards arising from the chemical	a fire or if heated, a pressure increase will occur and the container may his material is harmful to aquatic life with long lasting effects. Fire water ontaminated with this material must be contained and prevented from be scharged to any waterway, sewer or drain.	
Hazardous thermal decomposition products	o specific data.	
Special precautions for fire- fighters	romptly isolate the scene by removing all persons from the vicinity of the ere is a fire. No action shall be taken involving any personal risk or with uitable training.	
Special protective equipment for fire-fighters	re-fighters should wear appropriate protective equipment and self-container reathing apparatus (SCBA) with a full face-piece operated in positive pre ode.	

### Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	<ul> <li>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</li> </ul>	
Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.	
Methods and material for cor	ntainment and cleaning up	
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.	
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.	

# Section 7. Handling and storage

Precautions for safe handling
 Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

# Section 7. Handling and storage

Conditions for safe storage,	0 1 ( )
including any	local regulations. Store in original container protected from direct sunlight in a dry,
incompatibilities	cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use.
	Containers that have been opened must be carefully resealed and kept upright to
	prevent leakage. Do not store in unlabelled containers. Use appropriate
	containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

Ingredient name			Exposure limits	
None.				
Recommended monitoring procedures	:		riate monitoring standards. Reference to nods for the determination of hazardous	
Appropriate engineering controls	1	Good general ventilation should be su contaminants.	fficient to control worker exposure to airborne	
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		
ndividual protection measur	<u>es</u>			
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.		
Respiratory protection	:	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.		
Eye protection	:	Safety glasses with side shields.		
Skin protection	:		nal skin protection measures should be formed and the risks involved and should be ing this product.	

#### Date of issue of January 202

### Product name FLOOD FLOETROL ACRYLIC CONDITIONER

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state	1	Liquid.	
Colour	1	White.	
Odour	1	Ammoniacal.	
Odour threshold	1	Not available.	
рН	1	Not available.	
Melting point	1	Not available.	
Boiling point	1	100°C (212°F)	
Flash point	1	Closed cup: Not applicable.	
Flammability (solid, gas)	1	Not available.	
Lower and upper explosive (flammable) limits	:	Not available.	
Vapour pressure	:	Not available.	
Relative density	:	1.01	
Solubility(ies)		Media Result	
oordonity(ies)	1	cold water Partially soluble	
Partition coefficient: n- octanol/water	;	Not applicable.	
Auto-ignition temperature	1	Not available.	
Decomposition temperature	:	Not available.	
Viscosity	:	Kinematic (40°C (104°F)): >21 mm²/s (>21	cSt)

# Section 10. Stability and reactivity

Stability	: Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Reactive or incompatible with the following materials: oxidising materials strong acids strong alkalis
Hazardous decomposition products	<ul> <li>Under normal conditions of storage and use, hazardous decomposition products should not be produced.</li> </ul>
Hazardous polymerisation	: Under normal conditions of storage and use, hazardous polymerisation will not occur.

# Section 11. Toxicological information

Information on likely rout	tes of exposure	
Inhalation	: No known significant effects or critical hazards.	
Ingestion	: No known significant effects or critical hazards.	
Skin contact	: No known significant effects or critical hazards.	
Eye contact	: No known significant effects or critical hazards.	
Symptoms related to the	physical, chemical and toxicological characteristics	

New Zealand Page: 5/9

Product code 700500/1L

#### Product name FLOOD FLOETROL ACRYLIC CONDITIONER

	blogical information			
Inhalation	: No specific data.			
Ingestion	: No specific data.			
Skin contact	: No specific data.			
Eye contact	: No specific data.			
elayed and immediate effec Acute toxicity	ts as well as chronic effects fro	m short and loi	ng-term expos	ure
	Result	Species	Dose	Eveneoure
Product/ingredient name		Species		Exposure
oly(oxy-1,2-ethanediyl), α-[ (1,1,3,3-tetramethylbutyl) phenyl]-ω-hydroxy-	LD50 Oral	Rat	3.5 g/kg	-
Conclusion/Summary	: There are no data available or	the mixture itse	elf.	
Irritation/Corrosion				
Conclusion/Summary				
Skin	: There are no data available or	the mixture itse	elf.	
Eyes	: There are no data available or	the mixture itse	elf.	
Respiratory	: There are no data available or	the mixture itse	elf.	
<u>Sensitisation</u>				
Conclusion/Summary				
Skin	: There are no data available or			
Respiratory	: There are no data available or	the mixture itse	elf.	
Potential chronic health effe				
General	: No known significant effects o			
Carcinogenicity	: No known significant effects o	r critical hazards	S.	
Mutagenicity	: No known significant effects o			
Teratogenicity	: No known significant effects o	r critical hazards	S.	
Developmental effects	: No known significant effects o	r critical hazards	S.	
Fertility effects	: No known significant effects o	r critical hazards	S.	
Chronic toxicity				
Not available.				
Carcinogenicity				
Conclusion/Summary	: There are no data available or	the mixture itse	elf.	
<u>Mutagenicity</u>				
Conclusion/Summary	: There are no data available or	the mixture itse	elf.	
<u>Teratogenicity</u>				
Conclusion/Summary	: There are no data available or	the mixture itse	elf.	
Reproductive toxicity				
Conclusion/Summary	: There are no data available or	the mixture itse	elf.	
Not available.				
Aspiration hazard				
Not available.				

### Section 11. Toxicological information

#### Acute toxicity estimates

Not available.

#### Other information

**Ecotoxicity** 

Contains isothiazolinones. May cause allergic reaction.

## Section 12. Ecological information

: This material is harmful to aquatic life with long lasting effects.

#### Aquatic and terrestrial toxicity

Product/ingredient name	Result	Species	Exposure
Poly(oxy-1,2-ethanediyl), α-[ (1,1,3,3-tetramethylbutyl) phenyl]-ω-hydroxy-	Acute LC50 2.518 mg/l Fresh water	Daphnia - Daphnia magna	48 hours

#### Persistence/degradability

 Not available.

 Bioaccumulative potential

 Mot available.

 Mobility in soil

 Soil/water partition

 coefficient (Koc)

 Other adverse effects

 : No known significant effects or critical hazards.

Do not allow to enter drains or watercourses.

### Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
Not suitable:	: Do not allow to enter drains or watercourses.

The classification of the product may meet the criteria for a hazardous waste. Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

### **14. Transport information**

	NZ	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

#### Additional information

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

# Section 15. Regulatory information

New Zealand Inventory of Chemicals (NZIoC)	: All components are listed or exempted.				
HSNO Approval Number	: None assigned.				
Emergency Management Regulations	: Level 1: Not applicable.				
	Level 2: MSDS required when any amount is present in a workplace. Level 3: Not applicable.				
Approved Handler	: Not applicable.				
International regulations					
Chemical Weapon Convention List Schedules I, II & III Chemicals					
Not listed.					
Montreal Protocol					
Not listed.					

### Section 15. Regulatory information

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC) Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

# Section 16. Other information

Date of issue	: 6 January 2023					
Indicates information that has changed from previously issued version.						
Key to abbreviations	: STEL = Short Term Exposure Limit TWA = Time-Weighted Average WES = Work Exposure Standard					
References	: Not available.					
Organisation that prepared the SDS	: EHS					
Disclaimer						

#### <u>Disclaimer</u>

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.